

Index Volume 35, 1982

A

- Acacia farnesiana*, 548, 558
 Acute toxicity of mixtures of range management herbicide to cutthroat brook-trout, 539
 Aerial photography and image interpretation for resource management (Book Review), 408
Ageneotettix deorum, 171
Agropyron cristatum, 586, 459, 604,
Agropyron desertorum, 282, 347, 362
Agropyron desertorum Fisch Shcult, 227
Agropyron intermedium
Agropyron smithii, 362
Agropyron smithii, Rydb., 223
 Ahlstrand, Gary M., 62
 Ahmed, Javed, 777
 Alaniz, M. A. 43
 Alfalfa, 166
 Algae, 180
 Alkaloid affects in vitro dry matter digestibility of *Festuca* and *Bromus* species, 503
 Allison, C. D., 351
 Allred, Kelly, 672
 Amount and distribution of dry matter, nitrogen, and organic carbon in soil-plant systems of mesquite and palo verde, 412
 Amygdaloides, 360
 Anagyrine, 81
 Analysis (chemical), 231, 617
 Analysis of forage preference indices, 316
 Anderson, D. C., 180, 355
 Anderson, D. M. 125, 675
 Anderson, Jay E., 60
Andropogon gerardii vitman, 231
Andropogon scoparius michx., 231
 Angell, Raymond F., 163
 Animal nutrition, 188
 Animal units, 262
 Annual grassland response to fire retardant and wildlife, 700
 Ansley, R. James, 586
 Antelope (pronghorn), 152
Antilocapra Americana, 152
Artemisia spp., 152, 617, 679
Artemisia tridentata, 60, 107, 192, 269, 396
Artemisia tridentata subsp. *Vaseyana*, 142
 Arthun, D., 741
 Aspen poplar, 246, 764, 786
Astragalus sp., 32, 113
Atriplex sp., 124
Atriplex canescens, 282, 604
 Average daily weight gain (heifer), 375
 Average daily weight gain (steer), 347

B

- Baker, Dan L., 199
 Baker, R. L., 505
 Balda, R. P., 254
 Balla, E. F., 362
 Barker, Jerry R., 22
 Barth, R. C., 412

- Barrett, Reginald H., 342
 Bartlett, E. T., (Book Review) 543, 634
 Bartolome, James W., 671
 Bartos, Dale, 764
 Basal-area growth and reproductive responses of thurber needlegrass and squirreltail to weed control and nitrogen fertilization, 610
 Baumer, Michel, 3
 Bear food habits, 690, 693
 Beasom, Samuel L., 790
 Beaty, E. R., 133
 Beck, Reldon F., 707
 Beef production, 637
 Berube, Denis, E., 459
 Betters, David R., 380
 Big bluestem, 231
 Big sagebrush, 192, 396
 Big sagebrush ecotype, 396
 Biological efficiency, 249
 Biomass analysis, 195, 451
 Biomass and forage production from reclaimed stripmined land and adjoining native range in central Wyoming, 754
 Biomass estimation, 87, 90
 Biomass estimation in a young stand of mesquite (*Prosopis* spp.), ironwood (*Ola testota*), palo verde (*Cercidium floridum* and *Parkinsonia aculeata*), and *Leucaena* (*Leucaena leucocephala*), 87
 Bitterbrush, 508, 711
 Bitterweed, 243, 489
 Blackburn, W. H., 195, 282
 Blacktail deer, 342
 Blair, Robert M., 756
 Blakesley, Cindy S., 693
 Blankenship, Lytle H., 664
 Blowouts, 257
 Blue grama, 257
 Bluntzer, J. S., 372
 Bonham, Charles D., 90, 777
 Bonner, Kris G. (Book Review), 408
Bos spp., 152
 Botanical composition, 305, 309
 Botanical composition determination of range herbivore diets: a review, 309
 Botanical composition of cattle diets grazing brush managed pastures in east-central Texas, 434
 Botanical composition of steer diets on mesquite and mesquite-free desert grassland, 320
 Botanical composition of summer cattle diets on the Wyoming high plains, 305
 Bottom sediment: a reservoir of *Escherichia coli* in rangeland streams, 119
Bouteloua gracilis, 257
 Bovey, R. W., 548
 Bowes, Garry G., 246
Brachlagus idahoensis, 107
 Branson, F. A., 462
 Briske, D. D., 511
 Britton, C. M., 347, 711
 Brock, J. H., 195, 551

- Bromus* spp., 503
 Broom snakeweed, 219, 233
 Brotherson, J. D., 192, 628
 Brown, Richard L., 727
 Brown, Perry, J. (Book Review), 543
 Brownseed paspalum, 211, 251
 Brownseed paspalum response to season of burning, 251
 Browse, 152, 239, 265
 Broyles, Patrick J. (Book Review), 406
 Brush control with herbicides on hill pasture sites in southern Oregon, 75
 Brush conversion, 246
 Brush management, 62
 Brush management influences the Nutritive content of cattle diets in east-central Texas, 431
 Bryant, Larry D., 708,
 Budy, Jerry D., 437
 Buried, viable seeds and their relation to revegetation after surface mining, 648
 Burleson, Wayne H., 223
 Burning (grassland), 251
 Burning (prescribed), 62, 177, 231, 251, 382
 Burns, 598, 697
 Burrell, Galen C., 508
 Burrows (kangaroo rat), 707
 Busby, F. E., 227

C

- Cable, Dwight R., 591
 Calf crop, 519
 Calf weaning, 204
 Calhoun, M. C., 489
 California, 342
 Calvert, Grady V., 133
 Camp, B. J., 489
 Cannell, Glen H., 87
 Canopy, 195
 Caribou, 390
 Caso, O. H., 35
 Cattle, 342
 Cattle behavior, 163, 332
 Cattle diet and daily gains on a mountain riparian meadow in northeastern Oregon, 745
 Cattle diets, 163, 239, 305
 Cattle diets in the Blue Mountains of Oregon, I. Grasslands, 109
 Cattle diets in the Blue Mountains of Oregon, II. Forests, 239
 Cattle food diets, 109
 Cattle grazing, 163, 204, 332, 351,
 Cattle grazing and behavior on a forested range, 332
 Cattle grazing influence on a mountain riparian zone, 100
 Cattle grazing management, 204
 Cattle trampling, 715
Ceanothus integerrimus, 671
Centaurea diffusa, 459
Cercocarpus ledifolius, 152
Cercidium floridum, 412

Changes in the yield of forage following the use of herbicides to control aspen poplar, 246

Changes in vegetation and grazing capacity following honey mesquite control, 551

Chemical composition of native range grasses growing on saline soils of the south Texas plains, 43

Chemical constituents of sagebrush foliage and their isolation, 617

Chemical quality and sediment content of runoff water from southeastern Montana rangeland, 130

Ching, C. T. K., 519

Chivinge, A. O., 326

Chromatography, 269

Chopping, 214

Chrysothamnus nauseosus, 192

Churchill, Francis, M., 382, 774

Citellus columbianus, 493

Clanton, D. C., 96, 339

Clark, Peter R., 87

Clark, Robert G., 711

Clary, Warren P. (Book Review), 407

Claypool, P. L., 301

Clearcut forest, 214, 764

Clipping, 251, 594

Cluff, L. K., 192

Coenenberg, Joe G., 67, 298, 522

Collantes, Marta, 35

Columbia ground squirrel in subalpine forest openings in central Idaho, 493

Comparison of four methods to estimate the dissolved nitrogen fraction in range plants, 18

Comparison of micro and macro digestion methods for acid detergent fiber and lignin analyses, 799

Concepts and factors applicable to the measurement of range condition, 684

Concentration of monoterpenoids in the rumen ingesta of wild mule deer, 192

Continuous grazing, 204, 339, 347, 375

Contour furrows, 166

Contributions to the ecology of *Dactyloctenium aegyptium* (L.) P. Beauv., 326

Cost of controlling maturing western juniper trees, 437

Copper supplementation of young cattle grazing improved meadow pastures in southeastern Oregon, 515

Cover (canopy), 558

Cover (plants), 195

Cow-calf response to stocking rates, grazing systems, and winter supplementation at the Texas experimental ranch, 204

Cow (domestic), 152

Cox, Jerry R., 5

Coyote, 276

Coyote control, 57

Coyote food habits, 690, 693

Crested wheatgrass, 166, 227, 282, 347, 459

Crested wheatgrass vigor as affected by black grass bug and cattle grazing, 586

Crude protein, crude fiber, tannin, and oxalate concentrations of 33 *Astragalus* species, 32

Cryptogamic, 180

Cryptograms, 355, 390

Cushing, C. E., 360

Cutworm, 538

D

Dactyloctenium aegyptium, 326

Dahl, B. E., 533

Dasch, Gary J., 276

Daugherty, D. A., 347

Davis, A. M., 32, 81, 113

Decomposition (feces), 249

Decomposition of common curlymesquite herbage on Edwards Plateau rangeland, Texas, 104

Deer diets, 192

Deer mouse, 177

Deer (mule), 152, 159, 508

Deer range: improvement and management (Book Review), 407

Defoliation, 26, 223, 227, 511, 594, 591

Defoliation impacts on quality and quantity of forage harvested from big sacaton *Sporobolus wrightii* Munro, 26

Degree of use, 301

Deput, Edward J., 67, 298, 522

Describing the grass inflorescence, 672

Degree of use, 301

Desert, 62

Desert ecosystem, 254

Desert grassland, 320

Desert shrublands, 62, 355

Destructive and potentially destructive insects of snakeweed in west Texas and eastern New Mexico and a dioristic model of their biotic interactions, 235

Diammonium phosphate, 700

Dietary overlap between sheep, cattle, and goats when grazing in common, 116

Digestibility coefficients, 199

Digestibility of cellulose, 146

Digestibility of forage, 199, 498, 500, 503

Digestibility of shrubs, 301

Digestibility (monoterpenoids), 107

Digestion trials, 664

Dioristic model, 233

Dissimilarity coefficient and its use, 90

Disturbance and revegetation of Sonoran Desert vegetation in an Arizona powerline corridor, 254

Disturbed lands, 254, 257

Diurnal variation in weight and rate of shrink of range cows and calves, 717

Dodd, J. L., 572

Donart, Gary B., 219

Dong, Vincent Y., 761

Dorrance, Michael J., 690

Drawe, D. L., 558

Drought, 142

Duncan, Don A., 700

Duncan, K. W., 251

Durable livestock enclosure for herbage production and utilization sampling, 127

Dwyer, Don D., 227

Dynamic approach to grazing management terminology, 262

E

Early secondary succession following restoration and reseeding treatments in northern Arizona, 667

Early succession following clearcutting of aspen communities in northern Utah, 764

Eck, H. V., 623

Eckert, Richard E. Jr., 282, 610

Effect of atrazine, fertilizer, and 2,4-D on winter grazing preferences of beef cows on northcentral Oklahoma tallgrass prairie, 505

Effect of calf crop on net income of a Nevada range cattle operation, 519

Effect of continuous grazing on the diet of steers, 339

Effect of grazing horses managed as manipulators of big game winter range, 567

Effect of light, temperature and water stress on net photosynthesis in two populations of honey mesquite, 455

Effect of range condition on density and biomass of nematodes in a mixed prairie ecosystem, 657

Effect of range condition on the diet and performance of steers-grazing native sandhills range in Nebraska, 96

Effect of seasonal herbage allowance on bolus weights of cattle, 163

Effect of 2,4-D on hymenoxon concentration and toxicity of bitterweed *Hymenoxys odorata* force-fed to sheep, 489

Effects of burning on mineral contents of Flint Hill range forages, 231

Effects of burning on the algal communities of a high desert soil near Wallsburg, Utah, 598

Effects of controlled SO₂ exposure on net primary production and plant biomass dynamics, 572

Effects of livestock grazing on Mearns quail in southeastern Arizona, 727

Effects of monoterpenoid exposure on ability of rumen inocula to digest a set of forages, 500

Effects of a nematode on biomass and density of silverleaf nightshade, 536

Effects of precipitation variance on annual growth of 14 species of browse shrubs in southeastern Oregon, 265

Effects of two years of irrigation on revegetation of coal surface-mined land in southeastern Montana, 67

Efficiency of forage harvest by grazing cattle, 351

Eissenstat, D. M., 715

Electric fencing reduces coyote predation on pastured sheep, 276

Elymus spp., 594, 628

Elymus junceus, 459

Elymus junceus Fisch., 227

Encoptolophus sordidus costalis, 171

Energy analysis of Oklahoma rangelands and improved pastures, 637
 Energy biomass from large rangeland shrubs of the intermountain United States, 22
 Energy expenditure, 447
 Energy expenditure by heifers grazing crested wheatgrass of diminishing availability, 447
 Engel, J. E., 133
 Environmental systems optimization (Book Review), 543
 Environments (biotic), 233
Equus caballus, 152
 Erosion, 382
 Erosion control, 563
 Esophageal fistula dilator, 125
 Establishing circular plot boundaries with a wedge prism and an adjustable target pole, 697
 Establishment, growth, utilization and chemical composition of introduced shrubs on Oklahoma tallgrass prairie, 301
 Establishment of honey mesquite and huisache on a native pasture, 548
 Estimating browse production by deerbrush [*Ceanothus integriramus*], 671
Eutamias minimus, 177
 Evaluation of different calculation procedures for microhistological analysis, 721
 Evaluation of dimension analysis for predicting shrub biomass, 451
 Evaluation of 17 grasses and 2 legumes for revegetation of soil and spoil on a coal strip mine, 288
 Evans, Raymond A., 159, 437
 Everitt, J. H., 43, 733
 Exlosures (portable), 127
Eysenhardtia texana, 748

F

Factors affecting budbreak in honey mesquite in west Texas, 533
 Factors influencing bitterweed seed germination, 243
 Factors influencing development of cryptogamic soil crusts in Utah deserts, 180
 Fairbourn, Merle L., 503
 Fecal analyses, 267, 309
 Fecal sampling, 152, 249
 Feeding habits, 163, 567, 434
 Felker, Peter, 87
 Fences (electric), 276
 Fenitrothion, 65
 Feral hogs, 342
 Fertilization (experiments), 35, 39, 249, 473, 505
 Fertilization (K), 211
 Fertilization (N), 92, 124, 610
 Fertilization (pasture), 249
 Fertilization (range), 159
 Fertilization (S), 92
 Fertilization of a native grassland in the 'depression Del Rio Salado', Province of Buenos Aires: herbage dry matter accumulation and botanical composition, 35

Fertilizer effects on above-and below-ground biomass of four species, 39
 Fertilizer (nitrogen) 159, 249, 477, 505
 Fertilizer (phosphorus), 159
 Fertilizer (sulfur), 159
Festuca spp, 503
Festuca scabrella, 171
 Fire effects, 214, 396, 711
 Fire, lichens, and caribou, 390
 Fire (prescribed), 386
 Fistula (esophageal), 125, 163, 239, 305, 309
 Fistula (rumen), 199
 Fistulate animals, 199, 239
 Flinders, Jerran T., 107, 724
 Fluoride in thermal spring water and in plants of Nevada and its relationship to fluorosis in animals, 188
 Fluoride, 188
 Flushing ewes on chemically cured hill pastures, 498
 Foliage mortality of mountain big sagebrush *Artemisia tridentata* subsp. *vaseyana* in southwestern Idaho during the winter of 1976-1977, 142
 Food resource partitioning by sympatric ungulates on great basin rangeland, 152
 Food supply, 177
 Forage (cured), 498
 Forage evaluation, 13, 32, 231
 Forage intake, 146, 351
 Forage intake by cattle on mountain range, 737
 Forage intake (shrubs), 239
 Forage good enough for cattle production: when!, 133
 Forage losses, 171, 223
 Forage production, 163, 219, 227, 246, 362
 Forage production and removal from western and crested wheatgrasses under grazing, 362
 Forage production estimates, 614
 Forage quality, 13, 26, 188, 231, 372, 745
 Forage removal, 171, 362
 Forage response to overstory reduction on loblolly-shortleaf pine-hardwood forest range, 443
 Forage selection, 116, 152, 231, 737
 Forage values, 92, 116, 133, 231
 Forage yield and quality in a Great Basin shrub, grass, and legume pasture experiment, 604
 Forage yields, 219, 227
 Forest lands, 214
 Forest management, 443, 761
 Forest range, 239, 332
 Forest resources, 214
 Foster, M. A., 424
 Fourwing saltbush, 282
 Frasure, J. R., 367, 375
 Frequency sampling for microscopic analysis of botanical composition, 541
 Fuel from shrubs, 22

G

Galt, H. D., 320
 Game birds, 727
 George, James F., 104

Gerbermann, A. H., 43
 Germination, 326
 Germination of bitterweed, 243
 Germination responses of *Eysenhardtia texana* and *Leucaena retusa*, 748
 Gifford, Gerald F., 697, 801
 Ginzo, H. D., 35
 Goen, J. P., 533
 Goldenrod (rayless), 704
 Goldenweed, 704
 Gomm, F. B., 477, 515
 Gonzalez, C. L., 733
 Gordon, R. A., 367, 372, 427
 Gould, Walter L., 563
 Grand fir overstory, 769
 Grass-legume relationships, 473
 Grass response following thinning of Broom snakeweed, 219
 Grasshopper hatching, 171
 Grasshoppers, 53, 171, 223, 653
 Gray, F., 301
 Grazing effects, 13, 51, 100, 180, 355, 360, 586, 511, 697, 727
 Grazing efficiency, 351
 Grazing distribution, 332
 Grazing habits, 163
 Grazing intensity, 262, 351
 Grazing management of crested wheatgrass range for Yearling steers, 347
 Grazing periods, 239
 Grazing preferences, 239, 505
 Grazing studies, 204
 Grazing systems, 526
 Grazing units, 262
 Green, 774
 Gross, Bryan D., 644, 721
 Growth and nonstructural carbohydrate content of southern browse species as influenced by light intensity, 756
 Growth rate differences among big sagebrush *Artemisia tridentata* accessions and subspecies, 396
 Growth rate of big sagebrush, 396
 Growth response, 265
 Growth response of two saltbush species to nitrate, ammonium and urea nitrogen added to processed oil shale, 124
 Guard dogs, 693
 Gustavson, Carl R., 57

H

Haas, R. H., 195, 551
 Habitat management, 146
 Habitat preferences of feral hogs, deer, and cattle on a sierra foothill range, 342
 Habitat relationships of basin wildrye in the high mountain valleys of central Utah, 628
 Habitat use, 5, 342
 Haferkamp, Marshall R., 26
 Hamilton, W. T., 9
 Hammond, R. W., 483
 Hanley, Kathleen A., 152
 Hanley, Thomas A., 146, 152
 Hansen, R. M., 18
 Hanson, Clayton L., 142, 614
 Hanson, J. D., 455
 Harbers, Leniel H., 231
 Hardman, J. M., 171

- Harniss, R. O., 13
 Harper, Kimball T., 180, 355
 Hart, R. H., 362
 Hartmann, F. S., 424
 Hauser, Victor, L., 294
 Havstad, K. M., 447
Hedysarum boreale, 469
 Heitschmidt, R. K., 204, 367, 372, 375, 526, 572, 717
 Hendee, Clare W. (Book Review) 406
 Herbage yield of fertilized cool-season grass-legume mixtures in western Nebraska, 473
 Herbage yield, 163, 288
 Herbicide (phenoxy), 75, 246, 483, 489, 505, 539, 790
 Herbivore diet, 309
 Hessing, M. B., 254, 667
 Hewitt, George B., 53, 223, 653
 Hexazinone, 401
 High and low sodium biotype of four-wing saltbush: their responses to sodium and potassium in retorted oil shale, 795
Hilaria belangeri, 100
 Hinnant, R. T., 127, 211
 Hironaka, M., 493
 Holechek, Jerry L., 39, 109, 185, 239, 267, 298, 309, 522, 644, 721, 737, 741, 745, 799
 Holmgren, Ralph C., 180
 Honey mesquite control and forage response in Crane County, Texas, 424
 Horses, 567
 Horses (feral), 152
 How Komondor dogs reduce sheep losses to coyotes, 693
 Howard, Gene S., 305
 Hughes, H. Glen, 5
Hymenoxys odorata, 489
- I
- Identification of subspecies of big sagebrush by ultraviolet spectrophotometry, 60
 Impact of burning and grazing on soil water patterns in the pinyon-juniper type, 697
 Impact of burrowing activity of the bannertailed kangaroo rat on southern New Mexico desert rangelands, 707
 Impact of grazing systems on the magnitude and stability of ranch income in the rolling plains of Texas, 526
 Increasing the rate of cattle dung decomposition by nitrogen fertilization, 249
 Indicator (ecological), 265
 Individual plant treatments for controlling redberry juniper seedlings, 419
 Infiltration and sediment production on a deep hardland range site in north central Texas, 195
 Infiltration rate, 195
 Infiltration (soil), 195
 Influence of crusting soil surfaces on emergence and establishment of crested wheatgrass, squirreltail, thurber needlegrass, and fourwing saltbush, 282
 Inglis, Jack M., 790
- Insect control, 653
 Insect damage, 171, 223, 233, 538, 586
 Insects (grazing), 223
 Integration of burning and picloram pellets for Macartney rose control, 427
 Intermediate wheatgrass, 166
 Interrelationships of huisache canopy cover with range forage on the coastal prairie, 558
 Invasion (plants), 243
 In vitro digestibility, 199
 In vitro digestibility of south Texas range plants using inoculum from four ruminant species, 664
 In vitro digestion-sources of within- and between-trial variability, 199
 Irrigation, 67
Isocoma spp., 704
 Iverson, Louis R., 648
- J
- Jacobson, M. Quinn, 451
 Jacoby, P. W., 424
 Javakul, Adehara, 598
 Johansen, Jeffrey R., 598
 Johnson, C. D., 254, 667
 Johnson, Clifton W., 142
 Johnson, D.A., 604
 Johnson, Mark K., 51, 541
 Jowsey, James R., 57
Juniperus occidentalis, 152
Juniperus osteosperma, 192
Juniperus spp., 419, 437
- K
- Kelsey, Rick G., 269, 617
 Kindschy, Robert R., 265
 Kirby, D. R., 7, 431, 434
 Klein, David R., 390
 Kleingrass, 211
 Klemmedson, J. O., 412
 Klopatek, J. M., 637
 Knapweed, 459
 Knopf, F. L., 580
Kochia sp., 128
 Kosco, Barbara H., 671
 Koshi, P. T., 623
 Kothmann, M. M., 127, 204, 211, 262, 351, 526, 675
 Krueger, William C., 100, 109, 239, 332
 Kubota, Joe, 188
 Kumar, Rabinder, 249
- L
- Lair, Kenneth D., 634
 Lambeth, Ron, 493
 Land Use in America (Book Review), 543
 Landers, Leland, 166
 Lang, Robert, 754
 Lapierre, L. E., 65
 Larson, Jeanne R., 700
 Lauenroth, W. K., 572
 Launchbaugh, John L., 538
 Leaf press, 5
 Leaf water potentials of perennial grasses-leaf press and pressure chamber evaluation, 5
 Least chipmunk, 177
 Legume establishment on strip mined lands in southeastern Montana, 298
- Legumes, 84, 473, 653, 604,
Leucaena retusa, 748
 Level benches for forage production in the northern plains, 166
 Lewis, Clifford E., 677
 Lewis, J. C., 580
 Lewis, J. K., 657
 Lichens, 180
 Light intensity, 756
 Linhart, Samuel B., 276
 Little bluestem, 211, 231
 Livingston, Jr., C. W., 489
 Lloyd, J. E., 249
 Loehle, Craig, 316
 Long tailed vole, 177
 Long tailed weasel, 177
 Longleaf and slash pine decreases herbage production and alters herbage composition, 761
 Long-term effects of fertilization and subclover seeding on northern California annual range, 92
 Long-term plant establishment on mined lands in southeastern Montana, 522
 Lorenz, R. J., 653
 Lundgren, G. K., 526
Lupinus, 81
 Lussenhop, John, 249
 Lygus bugs, 128
 Lynch, Gregory W., 664
- M
- Malechek, John C., 447
 Mammals (small), 51, 177
 Martin, Alton, 443
 Martin, S. Clark, 320
 Masked shrew, 177
 Mayeux, Herman S. Jr., 704
 McArthur, E. Durant, 128, 396
 McCully, W. G., 623
 McDaniel, Kirk C. 219, 551
 McGee, John M., 177
 McGinnies, William G. (Book Review), 543
 McGinnies, William J., 259, 288
 McGrew, John C., 693
 McKell, C. M., 22, 124, 586, 751
 McLean, Alastair, 46
 McQueen, I. S., 462
 Meadors, C. H., 424
 Meadow forage production as influenced by fertilization in a dry year, 477
Medicago sp., 84
Medicago sativa, 653, 604
 Meduna, Robert L., 798
Melanoplus dawsoni, 171
Melanoplus infantilis, 171
 Merrill, John, 141
 Mertz, D. L., 125
 Mesquite, 412, 424, 455, 533
 Method for forecasting potential losses from grasshopper feeding on northern mixed prairie forages, 53
 Meyer, R. E., 548
 Microhistological techniques, 267, 644, 721
 Microorganisms, 249
Microtus longicaudus, 177
Microtus montanus, 177

Milchunas, Daniel G., 199
 Miller, R. F., 462
 Milligan, Donald N., 57
 Mine spoils, 185, 288, 648
 Mine spoil reclamation, 39, 288, 298
 Mineral content, 231, 679
 Mineral requirement (animals), 231
 Mineral requirement (plants), 231
 Mining reclamation, 522, 754, 795
 Mitchell, J. E., 715
 Mixed prairie, 367, 372, 375
 Mogren, Edwin W., 380
 Mohammad, Noor, 227
 Moisture stress, 243, 477
 Molybdenosis, 515
 Monoterpenoids, 192, 500
 Monoterpenoid content of pygmy rabbit stomach ingesta, 107
 Montane vole, 177
 Montgomery, M. L., 75
 Moore, T. Blaine, 128
 Moore, William H., 214, 386
 Moroka, Neo, 707
 Morrison, R. D., 483
 Mortality of bitterbrush after burning and clipping in eastern Oregon, 711
 Mosher, W. D., 75, 480
 Mosses, 180
 Mueggler, W. F., 764
 Mule deer, 192
 Murphy, Alfred H., 92
 Murray, Robert B., 451
Mustela frenata, 177
 Mutz, J. L., 427, 558
 Myers, Judith H., 459

N

Naphan, E. A., 188
 Neal, Donald L., 159, (Book Review) 407
 Nebraska, 339
 Needle-and-thread grass, 223
 Neff, Earl L., 130
 Nematodes, 657, 536
 Nicholas, Paula J., 288
 Nichols, J. T., 96, 339
 Nitro compounds in introduced *Astragalus* species, 113
 Nitrogen content (determination of), 18
 Norris, L. A., 75
 North American range plants (Book Review), 406
 Northam, F.E., 536
 Northern pocket gopher, 177
Nothanguina phyllobia, 536
 Nutrient analysis, 43, 159, 211, 741
 Nutrient content, 163, 679, 733, 745, 751
 Nutrient contents of major food plants eaten by cattle in the south Texas plains, 733
 Nutrient testing of soils to determine fertilizer needs on central Sierra Nevada deer-cattle ranges, 159
 Nutrients (digestible), 664
 Nutrients of forage, 96, 786
 Nutrients of soil, 159
 Nutritional basis for food selection by ungulates, 146
 Nutritive content, 412, 431, 786

O

Oak sacannah (Texas), 401
 Oberly, G. H., 188
 Occurrence of anagryne in a collection of western American lupines, 81
Odocoileus hemionus, 152
 O'Melia, M. E., 580
 Onsager, Jerome A., 53
 Optimum allocation in multivariate double sampling for biomass estimation, 177
 Orr, C.C., 536
 Osborn, Joseph F., 87
 Otsyina, Robert, 751
 Overgrazed range, 171
Ovis aries, 152
 Owensby, Clenton, 538

P

Panicum coloratum L.
Panicum virgatum L., 623
 Partial defoliation stimulates growth of Arizona cottontop, 591
Paspalum plicatulum Michx., 251, 511
 Pearson, Henry, A., 443
 Pederson, J. C., 192, 500
Peromyscus maniculatus, 177
 Persistence of fenitrothion insecticide in red maple *Acer rubrum* L. and white birch *Betula papyrifera* (Marsh.) deer browse, 65
 Pest control, 53, 65
 Peterson, Frederick F., 282
 Photosynthesis, 455
 Physiological response, 142
 Picloram, 75, 427, 437
 Pieper, Rex D., 219, 309, 707
 Pinon pine: a natural and cultural history (Book Review), 407
 Plant analysis, 192, 211
 Plant analysis (chemical), 301
 Plant competition, 459
 Plant competition (interspecific), 380
 Plant control, 219, 419, 424, 427, 431, 434, 437, 455, 480, 548, 551, 558, 563, 610
 Plant control (biological), 233, 480
 Plant control (brush), 62, 75, 195, 246
 Plant control (cost), 437
 Plant control (fire), 251
 Plant control (mechanical), 214, 704
 Plant diversity, 254
 Plant growth, 211
 Plant hardiness, 142
 Plant morphology, 672
 Plant mortality, 142, 251
 Plant regrowth, 254
 Plant succession, 219, 254, 764
 Plant survival, 142, 301
 Plant water use, 227
 Planting depth, 294
 Planting (punch), 294
 Plowing, 282
 Poisonous plants, 81, 113, 243
 Pollutants, 539
 Pollution (sulfur dioxide), 572
 Pope, W. W., 715
Populus tremuloides, 380, 764
Populus tremuloides Michx., 246

Potassium content of three grass species during winter, 211
 Powell, David J., 96
 Powell, J., 301, 483, 505
 Prairie, 171
 Prairie dog and cattle competition, 580
 Prairie (tallgrass), 483
 Predation, 276
 Predation losses of cattle in Alberta, 690
 Predator control, 57
 Predator management, 276
 Preference index (forage), 316
 Preference of pygmy rabbits *Brachylagus idahoensis* for various populations of big sagebrush *Artemisia tridentata*, 724
 Preliminary study of some insects associated with rangeland shrubs with emphasis on *Kochia prostrata*, 128
 Prescribed burning during winter for maintenance of buffelgrass, 9
 President's address, 141
 Pressure chamber, 5
 Price, D. L., 367, 375
 Prickly rose, 246
 Primary production, 367
 Production and nutritive value of aspen understory, Black Hills, 786
 Production potential, 8
Prosopis glandulosa, 424, 455, 533
Prosopis juliflora, 320, 412, 548, 551, 563
 Public land grazing, 634
 Public lands politics interest group influence on the forest service and the bureau of land management (Book Review), 406
 Punch planting to establish grass, 294
Purshia tridentata, 152, 508, 711
 Pygmy rabbit, 107
 Pygmy rabbit food habits, 724
 Pyke, David A., 769

Q

Quinton, Dee A., 46

R

Raleigh, R. J., 515
 Ranch economics, 519, 526
 Range condition, 180, 185, 657, 684
 Range improvements, 604, 610
 Range restoration, 648, 667
 Range terminology, 262, 672
 Rangeland management and the environment, 3
Rangifer tarandus, 390
 Rapid extraction of sesquiterpene lactones from sagebrush for use as taxonomic markers, 269
 Rauzi, Frank, 166, 679
 Rawlins, W. J., 204
 Reclamation, 67
 Recovery of cryptogamic soil crusts from grazing on Utah winter ranges, 355
 Recovery of streamside woody vegetation after exclusion of livestock grazing, 360
 Redente, Edward F., 469
 Reiner, Richard J., 567

- Relationships between performance, intake, diet nutritive quality and fecal nutritive quality of cattle on mountain range, 741
- Relationships between overstory structure and understory production in the grand fir/myrtle boxwood habitat type of northcentral Idaho, 769
- Relative impact of various grasshopper species on *Stipa-Agropyron* mixed prairie and fescue prairie in southern Alberta, 171
- Research techniques and tools, 644
- Reseeding by eight alfalfa populations in a semiarid pasture, 84
- Residues (fenitrothion), 65
- Residues (herbicide), 75
- Response of Chihuahuan Desert Mountain shrub vegetation to burning, 62
- Response of livestock to riparian zone exclusion, 780
- Response of needle-and-thread and western wheatgrass to defoliation by grasshopper, 223
- Response of small mammals to livestock grazing in southcentral Idaho, 51
- Responses of crested wheatgrass and Russian wildrye to water stress and defoliation, 227
- Revegetation, 185, 246, 254, 257, 298
- Reynolds, Timothy D., 60
- Richardson, Steven G., 124
- Rickard, W. H., 360
- Riparian ecosystem, 100, 780, 795
- Riparian vegetation, 360
- Risser, P. G., 637
- Rittenhouse, Larry R., 316, 351, 375, 594
- Roath, Leonard Roy, 100, 332
- Robel, Robert L., 798
- Roberts, Jerry D., 276
- Root biomass, 185, 223, 227
- Root biomass on native range and mine spoils in Southeastern Montana, 185
- Root growth, 185, 223
- Rooting habits, 223, 257
- Roots (adventitious), 257
- Rosa acicularis* L., 246
- Rosa brachyotata*, 427
- Rotation grazing, 204
- Rumbaugh, M. D., 84, 604
- Rumen analysis, 192, 199
- Ruminant nutrition, 146, 152
- Runoff, 601
- Runoff (surface), 382
- Rushforth, S. R., 355, 598
- Russian wildrye, 227
- Rychert, R. C., 119
- S
- Sacaton (big), 26
- Sagebrush, 142, 269
- Sagebrush (grazing of), 13
- Salix, 355
- Saltbush, 795
- Sample preparation techniques for micro-histological analysis, 267
- Sampling methods, 5, 18, 267, 451, 541, 675, 677, 721, 741
- Samuel, Marilyn J., 305
- Sandhills, 339
- Scarnecchia, David L., 262
- Schizachrium scoparium* (michx.) Nash Schultz, R. D., 473
- Scifres, C. J., 9, 251, 401, 427, 558, 790
- Seasonal dependence on federal forage in Colorado, 634
- Seasonal diurnal variation in composition of cow diets, 7
- Seasonal growth, 367
- Seasonal variations in protein and mineral content of fringed sagewort [*Artemisia frigida*], 679
- Sediment yield, 195
- Seed germination, 243, 469
- Seed viability, 648
- Seedbed preparation, 667
- Seeding cultivated pastures, 92
- Seeding depth, 282
- Seeding (drill), 282
- Seedling (emergence), 282, 294, 298
- Seedling establishment, 67, 84, 92, 282, 298
- Seedling survival, 715
- Senecio jacobaea*, 480
- Severson, Kieth, 786
- Shafizadeh, Fred, 617
- Sharma, B. M., 326
- Sharrow, S. H., 480, 498
- Sheep, 276, 489, 498, 751
- Sheep as a biological control agent for tansy ragwort, 480
- Sheep (domestic), 152
- Sheep grazing, 13
- Sheep producers reasons for ceasing farm-flock operations in Kansas, 798
- Short duration grazing, 347, 367, 372, 375
- Short duration grazing at the Texas experimental ranch: effects on above-ground net primary production and seasonal growth dynamics, 367
- Short duration grazing at the Texas experimental ranch: weight gains of heifers, 375
- Short duration grazing at the Texas experimental range: effects on forage quality, 372
- Short grass, 195
- Shrub ecosystems, 412
- Shrub growth, 265, 301
- Shrubs (as fuel), 22
- Shumar, Mark L., 60
- Silverleaf nightshades, 536
- Silvex, 75
- Simonson, D. J., 18
- Sitanion hystrix*, 282, 610
- Skilbred, Chester L., 67
- Skovlin, Jon, 109, 239, 745
- Small mammal populations in an unburned and early fire successional sagebrush community, 177
- Smeins, Fred E., 104
- Smith, Ed F., 231
- Smith, J. P., 614
- Smoliak, S., 171, 614
- Smolik, J.D., 657
- Sneva, Forest A., 711
- Snow cover, 142
- Snyder, C. T., 462
- Sod grasses (bluegrama), 257
- Soil analysis, 180
- Soil analysis (chemical), 180
- Soil (crusts), 180
- Soil erosion effects on productivity in rangeland environments; where is the research?, 801
- Soil fertility, 159
- Soil loss, runoff, and water quality of seeded and unseeded steep watersheds following prescribed burning, 382
- Soil moisture, 462
- Soil nutrients, 159
- Soil-plant relationships, 462, 483
- Soil water, 166, 697, 744
- Soil water depletion by yucca, 774
- Soil water potential, 227, 601
- Soils (saline), 43, 180
- Some consequences of competition between prairie dogs and beef cattle, 580
- Sorex cinereus*, 177
- Sosebee, R. E., 774
- Southeastern pine forest, 386
- Spectrophotometry, 60
- Spermophilus armatus*, 177
- Spencer, John S., 610
- Speth, C. F., 519
- Squires, V. R., 116
- Squirrel and sheep competition, 493
- Squirreltail, 282
- Standing crop, 675
- Standing crop and vigor of defoliated Russian wildrye in southeastern Colorado, 594
- Statistical analyses, 90
- Steer diets, 320, 339,
- Stephens, Jeffrey R., 617
- Stephenson, G. R., 119
- Stevens, Richard, 128
- Stevens, W. Clark, 382
- Stidham, N. D., 301
- Stipa agropyron*, 171
- Stipa thurberiana*, 282, 610
- Stock water developments, 188
- Stocking density, 204, 262
- Stout, Darryl, 46
- Stritzke, J. F., 483
- Stubbendieck, J., 473, 623
- Stuth, Jerry W., 7, 163, 431, 434, 511
- Suitability of legumes for rangeland interseeding and as grasshopper food plants, 653
- Summer grazing of sagebrush-grass range by sheep, 13
- Supplemental feeding, 204
- Supplementation (copper), 515
- Suppression of knapweed invasion by crested wheatgrass in the dry interior of British Columbia, 459
- Svejar, Tony, 594
- Sweetvetch seed germination, 469
- Swindel, Benet F., 214, 386
- Switchgrasses: forage yield, forage quality and water-use efficiency, 623
- System analysis, 233

T

- Taiga, 390
- Tansy ragwort, 480
- Tart, D. L., 498
- Taxonomy of plants, 269
- Taylor, R. G., 634
- Tebuthiuron, 434
- Terpenoids, 617
- Terry, W. Stephen, 214, 386
- Theurer, Brent, 320
- Thinning effects, 219
- Thomomys talpoides*, 177
- Threadleaf snakeweed, 233
- 3, 6 DPA, 424
- Three-year evaluation of taste aversion coyote control in Saskatchewan, 57
- Thurber needlegrass, 282
- Tiedeman, James A. (Book Review), 544
- Tiller defoliation in a moderate and heavy grazing regime, 511
- Torell, Allen L., 437, 519
- Training needed for quantifying simulated diets from fragmented range plants, 644
- Trampling damage by cattle on northern Idaho forest plantations, 715
- Transient depredation of early spring range; spotted cutworms [*Amathes c-nigrum* (L.)] as a possible cause, 538
- Transplanting, 257
- Trichachne californica*, 591
- Triclopyr, 424
- Trifolium subterraneum*, 92
- Trlica, M. J., 18
- Tromble, John M., 601
- True density, 761
- Tupper, G. J., 684
- Turner, H. A., 347
- Two-step sampling technique for estimating standing crop of herbaceous vegetation, 675
- Type conversion, 246

U

- Ueckert, D. N., 243, 419, 489, 748
- Uinta ground squirrel, 177
- Ultraviolet spectrophotometry, 60
- Umoh, Jimmy E., 231
- Understory herbage production as a function of Rocky Mountain aspen stand density, 380
- Understory plants, 214, 380, 386, 769, 786
- Urness, Philip J., 567

- Use of historical yield data to forecast range herbage production, 614
- Use of range shrubs to meet nutrient requirements of sheep grazing on crested wheatgrass during fall and early winter, 751
- Using blue grama sod for range revegetation, 259
- Utilization (techniques), 309

V

- Valdez, Raul, 298, 522
- Van Epps, Gordon A., 22, 604, 751
- Varner, Larry W., 664
- Vaughn, Charles E., 92
- Vavra, Martin, 109, 239, 309, 737, 741, 745, 799
- Vegetation and reproductive growth of bluebunch wheatgrass in interior British Columbia, 46
- Vegetation and white-tailed deer responses to herbicide treatment of a mesquite drainage habitat type, 790
- Vegetation recovery, 219, 254
- Vegetative reproduction, 214
- Vegetative response of goldenweeds and rayless goldenrod to simulated mechanical control, 704
- Vegetative response to clearcutting and chopping in a north Florida flatwoods forest, 214
- Vegetative response to prescribed fire in a north Florida flatwoods forest, 386
- Veld and pasture management in south Africa (Book Review), 544

W

- Wali, Mohan K., 648
- Walker, G. R., 628
- Wangberg, James K., 235
- Warren L.E., 75
- Water conservation, 166
- Water control, 601
- Water in desert ecosystems (Book Review), 543
- Water quality, 119, 188, 382
- Water relations in soils as related to plant communities in Ruby Valley, Nevada, 462
- Water stress, 326
- Water stress (plants), 227, 243
- Water supply, 188
- Waterponding for increasing soil water on arid rangelands, 601

- Weather, soil, and 2,4-D effects on tall-grass prairie in Oklahoma, 483
- Weighing cattle, 717
- Weight-estimate method, 671
- Welch, Bruce L., 107, 192, 396, 500, 724
- Western wheatgrass, 223
- Weswig, P. W., 515
- Wheatgrass (bluebunch), 46
- Whisenant, S. G., 243, 419, 748
- White, Susan M., 107, 724
- White, W. Elton, 677
- Whitehead, John J., 801
- Whitson, R. E., 526, 558
- Wicklow, D. T., 249
- Wight, J. Ross, 142, 614
- Wildfires, 700
- Wildlife forage, 567
- Wildlife habitat management, 65, 790
- Wildrye, Russian, 459
- Williams, M. C., 113
- Wilson, A. D., 684
- Wilson, Alma M., 259
- Wilton, A. C., 653
- Wind erosion curtailed by controlling mesquite, 563
- Winter diets of mule deer in relation to bitterbrush abundance, 508
- Winter survival of sagebrush, 142
- Wolf food habits, 690
- Wolters, Gale L., 443, 761
- Wood, M. Karl, 282
- Woods, Ruth F., 380
- Woodward, Daniel, 539
- Woody plant control in the post oak savannah of Texas with hexazinone, 401
- Wright, H. A., 13, 382
- Wyoming, 305

X

- Xanthocephalum microcephalum* (DC) shinnery, 233
- Xanthocephalum sarothrae* (Pursh) shinnery, 233

Y

- Yates, David A., 339
- Young, James A., 437
- Yucca, 774

Z

- Zamora, Benjamin A., 769
- Zapus princeps*, 177

Journal of Range Management

Official bimonthly publication of

Society for Range Management

Volume 35, 1982

Table of Contents

Volume 35, 1982

Number 1, January

Rangeland Management and the Environment— <i>Michel Baumer</i> . . .	3
Leaf Water Potentials of Perennial Grasses—Leaf Press and Pressure Chamber Evaluation— <i>Jerry R. Cox and H. Glenn Hughes</i> . . .	5
Seasonal Diurnal Variation in Composition of Cow Diets— <i>D.R. Kirby and J.W. Stuth</i> . . .	7
Prescribed Burning during Winter for Maintenance of Buffelgrass— <i>W.T. Hamilton and C.J. Scifres</i> . . .	9
Summer Grazing of Sagebrush-Grass Range by Sheep— <i>R.O. Har-niss and H.A. Wright</i> . . .	13
Comparison of Four Methods to Estimate the Dissolved Nitrogen Fraction in Range Plants— <i>D.J. Simonson, R.M. Hansen, and M.J. Trlica</i> . . .	18
Energy Biomass from Large Rangeland Shrubs of the Intermountain United States— <i>Gordon A. Van Epps, Jerry R. Barker, and C.M. McKell</i> . . .	22
Defoliation Impacts on Quality and Quantity of Forage Harvested from Big Sacaton (<i>Sporobolus wrightii</i> Munro)— <i>Marshall R. Haferkamp</i> . . .	26
Crude Protein, Crude Fiber, Tannin, and Oxalate Concentrations of 38 <i>Astragalus</i> Species— <i>A.M. Davis</i> . . .	32
Fertilization of a Native Grassland in the 'Depresión del Rio Salado', Province of Buenos Aires: Herbage Dry Matter Accumulation and Botanical Composition— <i>H.D. Ginzo, Maria Collantes, and O.H. Caso</i> . . .	35
Fertilizer Effects on Above- and Belowground Biomass of Four Species— <i>Jerry L. Holechek</i> . . .	39
Chemical Composition of Native Range Grasses Growing on Saline Soils of the South Texas Plains— <i>J.M. Everitt, M.A. Alaniz, and A.H. Gerbermann</i> . . .	43
Vegetative and Reproductive Growth of Bluebunch Wheatgrass in Interior British Columbia— <i>Dee A. Quinton, Alastair McLean, and Darryl G. Stout</i> . . .	46
Response of Small Mammals to Livestock Grazing in Southcentral Idaho— <i>Mark K. Johnson</i> . . .	51
A Method for Forecasting Potential Losses from Grasshopper Feed-ing on Northern Mixed Prairie Forages— <i>George B. Hewitt and Jerome A. Onsager</i> . . .	53
A 3-Year Evaluation of Taste Aversion Coyote Control in Saskatchewan— <i>Carl R. Gustavson, James R. Jowsey, and Donald N. Milligan</i> . . .	57
Identification of Subspecies of Big Sagebrush by Ultraviolet Spectro photometry— <i>Mark L. Shumar, Jay E. Anderson, and Timothy D. Reynolds</i> . . .	60
Response of Chihuahuan Desert Mountain Shrub Vegetation to Burning— <i>Gary M. Ahlstrand</i> . . .	62
The Persistence of Fenitrothion Insecticide in Red Maple (<i>Acer rubrum</i> L.) and White Birch (<i>Betula papyrifera</i> (Marsh.)) Deer Browse— <i>L.E. Lapierre</i> . . .	65
Effects of Two Years of Irrigation on Revegetation of Coal Surface-mined Land in Southeastern Montana— <i>Edward J. Depuit, Chester L. Skilbred, and Joe G. Coenenberg</i> . . .	67
Brush Control with Herbicides on Hill Pasture Sites in Southern Oregon— <i>L.A. Norris, M.L. Montgomery, L.E. Warren, and W.D. Mosher</i> . . .	75
The Occurrence of Anagryne in a Collection of Western American Lupines— <i>A.M. Davis</i> . . .	81
Reseeding by Eight Alfalfa Populations in a Semiarid Pasture— <i>M.D. Rumbaugh</i> . . .	84
Biomass Estimation in a Young Stand of Mesquite (<i>Prosopis</i> spp.), Ironwood (<i>Olneya testota</i>), Palo Verde (<i>Cercidium floridium</i> and <i>Parkinsonia aculeata</i>), and Leucaena (<i>Leucaena leucocephala</i>)— <i>Peter Felker, Peter R. Clark, Joseph F. Osborn, and Glen H. Cannell</i> . . .	87
A Dissimilarity Coefficient and Its Use— <i>Charles D. Bonham</i> . . .	90
Long-term Effects of Fertilization and Subclove Seeding on Northern California Annual Range— <i>Charles E. Vaughn and Alfred H. Murphy</i> . . .	92
Effect of Range Condition on the Diet and Performance of Steers Grazing Native Sandhills Range in Nebraska— <i>David J. Powell, D.C. Clanton, and J.T. Nichols</i> . . .	96
Cattle Grazing Influence on a Mountain Riparian Zone— <i>Leonard Roy Roath and William C. Krueger</i> . . .	100

Decomposition of Common Curlymesquite Herbage on Edwards Plateau Rangeland, Texas— <i>James F. George and Fred E. Smeins</i> . . .	104
Monoterpenoid Content of Pygmy Rabbit Stomach Ingesta— <i>Susan M. White, Bruce L. Welch, and Jerran T. Flinders</i> . . .	107
Cattle Diets in the Blue Mountains of Oregon, I. Grasslands— <i>Jerry L. Holechek, Martin Vavra, Jon Skovlin, and William C. Krueger</i> . . .	109
Nitro Compounds in Introduced <i>Astragalus</i> Species— <i>M.C. Williams and A.M. Davis</i> . . .	113
Dietary Overlap between Sheep, Cattle, and Goats when Grazing in Common— <i>V.R. Squires</i> . . .	116
Bottom Sediment: A Reservoir of <i>Escherichia coli</i> in Rangeland Streams— <i>G.R. Stephenson and R.C. Rychert</i> . . .	119
Growth Response of Two Saltbush Species to Nitrate, Ammonium and Urea Nitrogen Added to Processed Oil Shale— <i>Steven G. Richardson and C.M. McKell</i> . . .	124
An Esophageal Fistula Dilator— <i>D.M. Anderson and D.L. Mertz</i> . . .	127
Preliminary Study of Some Insects Associated with Rangeland Shrubs with Emphasis on <i>Kochia prostrata</i> — <i>T. Blaine Moore, Richard Stevens, and E. Duran McArthur</i> . . .	128
Chemical Quality and Sediment Content of Runoff Water from Southeastern Montana Rangeland— <i>Earl L. Neff</i> . . .	130
Forage Good Enough for Cattle Production: When!— <i>E.R. Beaty, Grady V. Calvert, and J.E. Engel</i> . . .	133
Book Reviews . . .	135

Number 2, March

President's Address— <i>John L. Merrill</i> . . .	140
Foliage Mortality of Mountain Big Sagebrush [<i>Artemisia tridentata</i> subsp. <i>vaseyana</i>] in Southwestern Idaho during the Winter of 1976-77— <i>Clayton L. Hanson, Clifton W. Johnson, and J. Ross Wight</i> . . .	142
The Nutritional Basis for Food Selection by Ungulates— <i>Thomas A. Hanley</i> . . .	146
Food Resource Partitioning by Sympatric Ungulates on Great Basin Rangeland— <i>Thomas A. Hanley and Kathleen A. Hanley</i> . . .	152
Nutrient Test of Soils to Determine Fertilizer Needs on Central Sierra Nevada Deer-Cattle Ranges— <i>Raymond A. Evans and Donald L. Neal</i> . . .	159
Effect of Seasonal Herbage Allowance on Bolus Weights of Cattle— <i>Jerry W. Stuth and Raymond F. Angell</i> . . .	163
Level Benches for Forage Production in the Northern Plains— <i>Frank Rauzi and Leland Landers</i> . . .	166
The Relative Impact of Various Grasshopper Species on <i>Stipa-Agropyron</i> Mixed Prairie and Fescue Prairie in Southern Alberta— <i>J.M. Hardman and S. Smoliak</i> . . .	171
Small Mammal Populations in an Unburned and Early Fire Successional Sagebrush Community— <i>John M. McGee</i> . . .	177
Factors influencing Development of Cryptogamic Soil Crusts in Utah Deserts— <i>David C. Anderson, Kimball T. Harper, and Ralph C. Holmgren</i> . . .	180
Root Biomass on Native Range and Mine Spoils in Southeastern Montana— <i>Jerry L. Holechek</i> . . .	185
Fluoride in Thermal Spring Water and in Plants of Nevada and Its Relationship to Fluorosis in Animals— <i>Joe Kubota, E.A. Naphan, and G.H. Oberly</i> . . .	188
Concentration of Monoterpenoids in the Rumen Ingesta of Wild Mule Deer— <i>L.K. Cluff, B.L. Welch, J.C. Pederson, and J.D. Brotherson</i> . . .	192
Infiltration and Sediment Production on a Deep Hardland Range Site in North Central Texas— <i>J.H. Brock, W.H. Blackburn, and R.H. Haas</i> . . .	195
In Vitro Digestion—Sources of Within- and Between-Trial Variability— <i>Daniel G. Milchunas and Dan L. Baker</i> . . .	199
Cow-Calf Response to Stocking Rates, Grazing Systems, and Water Supplementation at the Texas Experimental Ranch— <i>R.K. Heitschmidt, M.M. Kothmann, and W.J. Rawlins</i> . . .	204
Potassium Content of Three Grass Species during Winter— <i>R.T. Hinnant and M.M. Kothmann</i> . . .	211
Vegetative Response to Clearcutting and Chopping in a North Florida Flatwoods Forest— <i>William H. Moore, Benée F. Swindel, and W. Stephen Terry</i> . . .	214

Grass Response Following Thinning of Broom Snakeweed—Kirk C. McDaniel, Rex D. Pieper, and Gary B. Donart	219	Efficiency of Forage Harvest by Grazing Cattle—C.D. Allison, M.M. Kothmann, and L.R. Rittenhouse	351
Response of Needle-and-thread and Western Wheatgrass to Defoliation by Grasshoppers—Wayne H. Burleson and George B. Hewitt	223	Recovery of Cryptogamic Soil Crusts from Grazing on Utah Winter Ranges—David C. Anderson, K.T. Harper, and S.R. Rushforth	355
Responses of Crested Wheatgrass and Russian Wildrye to Water Stress and Defoliation—Noor Mohammad, Don D. Dwyer, and F.E. Busby	227	Recovery of Streamside Woody Vegetation after Exclusion of Livestock Grazing—W.H. Rickard and C.E. Cushing	360
The Effects of Burning on Mineral Contents of Flint Hill Range Forages—Jimmy E. Umoh, Leniel H. Harbers, and Ed F. Smith	231	Forage Production and Removal from Western and Crested Wheatgrasses under Grazing—R.H. Hari and E.F. Balla	362
Destructive and Potentially Destructive Insects of Snakeweed in West Texas and Eastern New Mexico and a Dioristic Model of their Biotic Interactions—James K. Wangberg	235	Short Duration Grazing at the Texas Experimental Ranch: Effects on Aboveground Net Primary Production and Seasonal Growth Dynamics—R.K. Heitschmidt, D.L. Price, R.A. Gordon, and J.R. Frasure	367
Cattle Diets in the Blue Mountains of Oregon II. Forests—Jerry L. Holechek, Martin Vavra, Jon Skovlin, and William C. Krueger	239	Short Duration Grazing at the Texas Experimental Range: Effects on Forage Quality—R.K. Heitschmidt, R.A. Gordon, and J.S. Bluntzer	372
Factors Influencing Bitterweed Seed Germination—S.G. Whisenant and D.N. Ueckert	243	Short Duration Grazing at the Texas Experimental Ranch: Weight Gains of Heifers—R.K. Heitschmidt, J.R. Frasure, D.L. Price, and L.R. Rittenhouse	375
Changes in the Yield of Forage Following the Use of Herbicides to Control Aspen Poplar—Garry G. Bowes	246	Understory Herbage Production as a Function of Rocky Mountain Aspen Stand Density—Ruth F. Woods, David R. Betters, and Edwin W. Mogren	380
Increasing the Rate of Cattle Dung Decomposition by Nitrogen Fertilization—John Lussenhop, D.T. Wicklow, Rabinder Kumar, and J.E. Lloyd	249	Soil Loss, Runoff, and Water Quality of Seeded and Unseeded Steep Watersheds Following Prescribed Burning—Henry A. Wright, Francis M. Churchill, and W. Clark Stevens	382
Browsed Paspalum Response to Season of Burning—C.J. Scifres and K.W. Duncan	251	Vegetative Response to Prescribed Fire in a North Florida Flatwoods Forest—William H. Moore, Benee, F. Swindel, and W. Stephen Terry	386
Disturbance and Revegetation of Sonoran Desert Vegetation in an Arizona Powerline Corridor—M.B. Hessing, C.D. Johnson, and R.P. Balda	254	Fire, Lichens, and Caribou—David R. Klein	390
Using Blue Grama Sod for Range Revegetation—William J. McGinnies and Alma M. Wilson	259	Growth Rate Differences among Big Sagebrush [<i>Artemisia tridentata</i>] Accessions and Subspecies—E. Durant McArthur and Bruce L. Welch	396
A Dynamic Approach to Grazing Management Terminology—David L. Scarnechia and M.M. Kothmann	262	Woody Plant Control in the Post Oak Savannah of Texas with Hexazinone—C.J. Scifres	401
Effects of Precipitation Variance on Annual Growth of 14 Species of Browse Shrubs in Shrublands in Southeastern Oregon—Robert R. Kindschy	265	Book Reviews	406
Sample Preparation Techniques for Microhistological Analysis—Jerry L. Holechek	267		
Rapid Extraction of Sesquiterpene Lactones from Sagebrush for Use as Taxonomic Markers—Rick G. Kelsey	269		
Book Reviews	271		
Number 3, May			
Electric Fencing Reduces Coyote Predation on Pastured Sheep—Samuel B. Linhart, Jerry D. Roberts, and Gary J. Dasch	276	Amount and Distribution of Dry Matter, Nitrogen, and Organic Carbon in Soil-Plant Systems of Mesquite and Palo Verde—R.C. Barth and J.O. Klemmedson	412
Influence of Crusting Soil Surfaces on Emergence and Establishment of Crested Wheatgrass, Squirreltail, Thurber Needlegrass, and Fourwing Saltbush—M. Karl Wood, Richard E. Eckert, Jr., Wilbert H. Blackburn, and Frederick F. Peterson	282	Individual Plant Treatments for Controlling Redberry Juniper Seedlings—D.N. Ueckert and S.G. Whisenant	419
An Evaluation of 17 Grasses and 2 Legumes for Revegetation of Soil and Spoil on a Coal Strip Mine—Paula J. Nicholas and William J. McGinnies	288	Honey Mesquite Control and Forage Response in Crane County, Texas—P.W. Jacoby, C.H. Meadors, M.A. Foster, and F.S. Hartmann	424
Punch Planting to Establish Grass—Victor L. Hauser	294	Integration of Burning and Picloram Pellets for Macartney Rose Control—R.A. Gordon, C.J. Scifres, and J.L. Mutz	427
Legume Establishment on Strip Mined Lands on Southeastern Montana—Jerry L. Holechek, Edward J. Deput, Joe G. Coenenberg, and Raul Valdez	298	Brush Management Influences the Nutritive Content of Cattle Diets in East-central Texas—D.R. Kirby and J.W. Stuth	431
Establishment, Growth, Utilization and Chemical Composition of Introduced Shrubs on Oklahoma Tallgrass Prairie—N.D. Stidham, J. Powell, F. Gray, and P.L. Claypool	301	Botanical Composition of Cattle Diets Grazing Brush Managed Pastures in East-central Texas—D.R. Kirby and J.W. Stuth	434
Botanical Composition of Summer Cattle Diets on the Wyoming High Plains—Marilyn J. Samuel and Gene S. Howard	305	Cost of Controlling Maturing Western Juniper Trees—James A. Young, Raymond A. Evans, Jerry D. Budy, and Allen Torrel	437
Botanical Composition Determination of Range Herbivore Diets: A Review—Jerry L. Holechek, Martin Vavra, and Rex D. Pieper	309	Forage Response to Overstory Reduction on Loblooly-Shortleaf Pine-Hardwood Forest Range—Gale L. Wolters, Alton Martin, and Henry A. Pearson	443
An Analysis of Forage Preference Indices—Craig Loehle and Larry R. Rittenhouse	316	Energy Expenditure by Heifers Grazing Crested Wheatgrass of Diminishing Availability—K.M. Havstad and John C. Malechek	447
Botanical Composition of Steer Diets on Mesquite and Mesquite-free Desert Grassland—H.D. Galt, Brent Theurer, and S. Clark Martin	320	An Evaluation of Dimension Analysis for Predicting Shrub Biomass—Robert B. Murray and M. Quinn Jacobson	451
Contribution to the Ecology of <i>Dactyloctenium aegyptium</i> (L.) P. Beauv.—B.M. Sharma and A.O. Chivinge	326	Effect of Light, Temperature and Water Stress on Net Photosynthesis in Two Populations of Honey Mesquite—J.D. Hanson	455
Cattle Grazing and Behavior on a Forested Range—Leonard Roy Roath and William C. Krueger	332	Suppression of Knapweed Invasion by Crested Wheatgrass in the Dry Interior of British Columbia—Denis E. Berube and Judith H. Myers	459
Effect of Continuous Grazing on the Diet of Steers—David A. Yates, D.C. Clanton, J.T. Nichols	339	Water Relations in Soils as Related to Plant Communities in Ruby Valley, Nevada—R.F. Miller, F.A. Branson, I.S. McQueen, and C.T. Snyder	462
Habitat Preferences of Feral Hogs, Deer, and Cattle on a Sierra Foothill Range—Reginald H. Barrett	342	Sweetvetch Seed Germination—Edward F. Redente	469
Grazing Management of Crested Wheatgrass Range for Yearling Steers—D.A. Daugherty, C.M. Britton, and H.A. Turner	347	Herbage Yield of Fertilized Cool-Season Grass-Legume Mixtures in Western Nebraska—R.D. Schultz and J. Stubbendieck	473
		Meadow Forage Production as Influenced by Fertilization in a Dry Year—F.B. Gomm	477
		Sheep as a Biological Control Agent for Tansy Ragwort—Steven H. Sharrow and Wayne D. Mosher	480
		Weather, Soil and 2.4-D Effects on Tallgrass Prairie in Oklahoma—J. Powell, J.F. Stritzke, R.W. Hammond, and R.D. Morrison	483

Effect of 2,4-D on Hymenoxys Concentration and Toxicity of Bitterweed [<i>Hymenoxys odorata</i>] Force-Fed to Sheep—M.C. Calhoun, D.N. Ueckert, C.W. Livingston, Jr., and B.J. Camp	489
Columbia Ground Squirrel in Subalpine Forest Openings in Central Idaho—Ron Lambeth and M. Hironaka	493
Flushing Ewes on Chemically Cured Hill Pastures—D.L. Tart and S.H. Sharrow	498
Effects of Monoterpenoid Exposure on Ability of Rumen Inocula to Digest a Set of Forages—Jordan C. Pederson and Bruce L. Welch	500
Alkaloid Affects in Vitro Dry Matter Digestibility of <i>Festuca</i> and <i>Bromus</i> Species—Merle L. Fairbourn	503
Effect of Atrazine Fertilizer, and 2,4-D on Winter Grazing Preferences of Beef Cows on Northcentral Oklahoma Tallgrass Prairie—R.L. Baker and Jeff Powell	505
Winter Diets of Mule Deer in Relation to Bitterbrush Abundance—Galen C. Burrell	508
Tiller Defoliation in a Moderate and Heavy Grazing Regime—D.D. Briske and J.W. Stuth	511
Copper Supplementation of Young Cattle Grazing Improved Meadow Pastures in Southeastern Oregon—F.B. Gomm, P.W. Westwig, and R.J. Raleigh	515
Effect of Calf Crop on Net Income of a Nevada Range Cattle Operation—L.A. Torrell, C.F. Speth, and C.T.K. Chung	519
Long-term Plant Establishment on Mined Lands in Southeastern Montana—Jerry L. Holechek, Edward J. Depuit, Joe Coenenberg, and Raul Valdez	522
The Impact of Grazing Systems on the Magnitude and Stability of Ranch Income in the Rolling Plains of Texas—R.E. Whitson, R.K. Heitschmidt, M.M. Kothmann, and G.K. Lundgren	526
Factors Affecting Budbreak in Honey Mesquite in West Texas—J.P. Goen and B.E. Dahl	533
Effects of a Nematode on Biomass and Density of Silverleaf Nightshade—F.E. Northam and C.C. Orr	536
Transient Depredation of Early Spring Range; Spotted Cutworms [<i>Amathes c-nigrum</i> (L.)] as a Possible Cause—John L. Launchbaugh and Clenton E. Owensby	538
Acute Toxicity of Mixtures of Range Management Herbicides to Cutthroat Trout—Daniel F. Woodward	539
Frequency Sampling for Microscopic Analysis of Botanical Compositions—Mark K. Johnson	541
Book Reviews	543

Number 5, September

Establishment of Honey Mesquite and Huisache on a Native Pasture—R.E. Meyer and R.W. Bovey	548
Changes in Vegetation and Grazing Capacity Following Honey Mesquite Control—Kirk C. McDaniel, John H. Brock, and Robert H. Haas	551
Interrelationships of Huisache Canopy Cover with Range Forage on the Coastal Prairie—C.J. Scifres, J.L. Mutz, R.E. Whitson, and D.L. Drawe	558
Wind Erosion Curtailed by Controlling Mesquite—Walter L. Gould	563
Effect of Grazing Horses Managed as Manipulators of Big Game Winter Range—Richard J. Reiner and Philip J. Urness	567
Effects of Controlled SO ₂ Exposure on Net Primary Production and Plant Biomass Dynamics—J.L. Dodd, W.K. Lauenroth, and R.K. Heitschmidt	572
Some Consequences of Competition between Prairie Dogs and Beef Cattle—M.E. O'Melia, F.L. Knopf, and J.C. Lewis	580
Crested Wheatgrass Vigor as Affected by Black Grass Bug and Cattle Grazing—R. James Ansley and C.M. McKell	586
Partial Defoliation Stimulates Growth of Arizona Cottontop—Dwight R. Cable	591
Standing Crop and Vigor of Defoliated Russian Wildrye in Southeastern Colorado—Tony Svejcar and Larry R. Rittenhouse	594
Effects of Burning on the Algal Communities of a High Desert Soil near Wallsburg, Utah—Jeffrey R. Johansen, Adehara Javakul, and Samuel R. Rushforth	598
Waterponding for Increasing Soil Water on Arid Rangelands—John M. Tromble	601
Forage Yield and Quality in a Great Basin Shrub, Grass, and Legume Pasture Experiment—M.D. Rumbaugh, D.A. Johnson, and G.A. Van Epps	604

Basal-Area Growth and Reproductive Responses of Thurber Needlegrass and Squirreltail to Weed Control and Nitrogen Fertilization—Richard E. Eckert, Jr., and John S. Spencer	610
Use of Historical Yield Data to Forecast Range Herbage Production—C.L. Hanson, J.R. Wight, J.P. Smith, and S. Smoliak	614
The Chemical Constituents of Sagebrush Foliage and Their Isolation—Rick G. Kelsey, Jeffrey R. Stephens, and Fred Shafizadeh	617
Switchgrasses: Forage Yield, Forage Quality and Water-use Efficiency—P.T. Koshi, J. Stubbendieck, H.V. Eck, and W.G. McCully	623
Habitat Relationships of Basin Wildrye in the High Mountain Valleys of Central Utah—G.R. Walker and J.D. Brotherson	628
Seasonal Dependence on Federal Forage in Colorado—R.G. Taylor, E.T. Bartlett, and Kenneth D. Lair	634
Energy Analysis of Oklahoma Rangelands and Improved Pastures—J.M. Klopatek and P.G. Risser	637
Training Needed for Quantifying Simulated Diets from Fragmented Range Plants—Jerry L. Holechek and Bryan Gross	644
Buried, Viable Seeds and Their Relation to Revegetation after Surfacing Mining—Louis R. Iverson and Mohan K. Wali	648
The Suitability of Legumes for Rangeland Interseeding and as Grasshopper Food Plants—George B. Hewitt, A.C. Wilton, and R.J. Lorenz	653
Effect of Range Condition on Density and Biomass of nematodes in a Mixed Prairie Ecosystem—J.D. Smolik and J.K. Lewis	657
In Vitro Digestibility of South Texas Range Plants Using Inoculum from Four Ruminant Species—Lytle H. Blankenship, Larry W. Varner, and Gregory W. Lynch	664
Early Secondary Succession Following Restoration and Reseeding Treatments in Northern Arizona—M.B. Hessing and C.D. Johnson	667
Estimating Browse Production by Deerbrush [<i>Ceanothus integrifolius</i>]—James W. Bartolome and Barbara H. Kosco	671
Describing the Grass Inflorescence—Kelly Wayne Allred	672
Two-step Sampling Technique for Estimating Standing Crop of herbaceous Vegetation—D.M. Anderson and M.M. Kothmann	675
Establishing Circular Plot Boundaries with a Wedge Prism and an Adjustable Target Pole—W. Elton White and Clifford E. Lewis	677
Seasonal Variations in Protein and Mineral Content of Fringed Sage-wort [<i>Artemisia frigida</i>]—Frank Rauzi	679

Number 6, November

Concepts and Factors Applicable to the Measurement of Range Condition—A.D. Wilson and G.J. Tupper	684
Predation Losses of Cattle in Alberta—Michael J. Dorrance	690
How Komondor Dogs Reduce Sheep Losses to Coyotes—John C. McGrew and Cindy S. Blakesley	693
Impact of Burning and Grazing on Soil Water Patterns in the Pinyon-Juniper Type—Gerald F. Gifford	697
Annual Grassland Response to Fire Retardant and Wildfire—Jeanne R. Larson and Don A. Duncan	700
Vegetative Response of Goldenweeds and Rayless Goldenrod to Simulated Mechanical Control—H.S. Mayeux, Jr.	704
Impact of Burrowing Activity of the Bannertail Kangaroo Rat on Southern New Mexico Desert Rangelands—Neo Moroka, Reldon F. Beck, and Rex D. Pieper	707
Mortality of Bitterbrush after Burning and Clipping in Eastern Oregon—Robert G. Clark, Carlton M. Britton, and Forrest A. Sneva	711
Trampling Damage by Cattle on Northern Idaho Forest Plantations—D.M. Eissenstat, J.E. Mitchell, and W.W. Pope	715
Diurnal Variation in Weight and Rates of Shrink of Range Cows and Calves—R.K. Heitschmidt	717
Evaluation of Different Calculation Procedures of Microhistological Analysis—Jerry L. Holechek and Bryan D. Gross	721
Preference of Pygmy Rabbits (<i>Brachylagus idahoensis</i>) for Various Populations of Big Sagebrush (<i>Ariemisia tridentata</i>)—Susan M. White, Jerran T. Flinders, and Bruce L. Welch	724
Effects of Livestock Grazing on Mearns Quail Southeastern Arizona—Richard L. Brown	727
Nutrient Contents of Major Food Plants Eaten by Cattle in the South Texas Plains—C.L. Gonzalez and J.H. Everitt	733
Forage Intake by Cattle on Forest and Grassland Ranges—Jerry L. Holechek and Martin Vavra	737

Relationships between Performance, Intake, Diet Nutritive Quality and Fecal Nutritive Quality of Cattle on Mountain Range— <i>J.L. Holechek, M. Vavra, and D. Arthur</i>	741	Optimum Allocation in Multivariate Double Sampling for Biomass Estimation— <i>Javed Ahmed and Charles D. Bonham</i>	777
Cattle Diet and Daily Gains on a Mountain Riparian Meadow in Northeastern Oregon— <i>J.L. Holechek, M. Vavra, and J. Skovlin</i>	745	Response of Livestock to Riparian Zone Exclusion— <i>Larry D. Bryant</i>	780
Germination Responses of <i>Eysenhardtia texana</i> and <i>Leucaena retusa</i> — <i>S.G. Whisenant and D.N. Ueckert</i>	748	Production and Nutritive Value of Aspen Understory, Black Hills— <i>Kieth E. Severson</i>	786
Use of Range Shrubs to Meet Nutrient Requirements of Sheep Grazing on Crested Wheatgrass during Fall and Early Winter— <i>Robert Otsyina, C.M. McKell, and Gordon Van Epps</i>	751	Vegetation and White-tailed Deer Responses to Herbicide Treatment of a Mesquite Drainage Habitat Type— <i>Samuel L. Beasom, Jack M. Inglis, and Charles J. Scifres</i>	790
Biomass and Forage Production from Reclaimed Stripmined Land and Adjoining Native Range in Central Wyoming— <i>Robert Lang</i>	754	High and Low Sodium Biotypes of Fourwing Saltbush: Their Responses to Sodium and Potassium in Retorted Oil Shale— <i>Steven G. Richardson</i>	795
Growth and Nonstructural Carbohydrate Content of Southern Browse Species as Influenced by Light Intensity— <i>Robert M. Blair</i>	756	Sheep Producers' Reasons for Ceasing Farm-Flock Operations in Kansas— <i>Robert J. Robel and Robert L. Meduna</i>	798
Longleaf and Slash Pine Decreases Herbage Production and Alters Herbage Composition— <i>Gale L. Wolters</i>	761	Comparison of Micro and Macro- digestion Methods for Fiber Analysis— <i>J.L. Holechek and M. Vavra</i>	799
Early Succession Following Clearcutting of Aspen Communities in Northern Utah— <i>D.L. Bartos and W.F. Mueggler</i>	764	Soil Erosion Effects on Productivity in Rangeland Environments; Where is the Research?— <i>Gerald F. Gifford and John M. Whitehead</i>	801
Relationships between Overstory Structure and Understory Production in the Grand Fir/Myrtle Habitat Type of Northcentral Idaho— <i>David A. Pyke and Benjamin A. Zamora</i>	769	Book Reviews	803
Soil Water Depletion by Yucca— <i>R.E. Sosebee, F.M. Churchill, and C.W. Green</i>	774		

